

# CHINA SOLAR LTD

<http://www.solars-china.com>

TEL:+86-755-83515659 FAX:+86-755-82716024 Email:market@solars-china.com

Contact Person :Emily Zhou MSN:market@solars-china.com Skype:kaxidy

## SOLAR CHARGER

| Item No  | Product Specification  | Product Image |
|----------|--|---------------|
| KS-C3015 | <ul style="list-style-type: none"> <li>•Solar Panel:mono or multi-crystalline</li> <li>•Solar Power: 5.5V/150mA 0.8W</li> <li>•Output voltage: general 5.5V,option:3.7V/4.2V/9V</li> <li>•Output current: 400-800mA</li> <li>•Build in Li-ion Battery:2600mAh</li> <li>•Product Size:125×81×24mm</li> <li>•LED Indication: charging and discharging state</li> <li>•Protection: reverse current protection circuit intergerated to prevent batteries from being discharged.</li> <li>•Charging time for the mobile phone: 1-2 hours</li> <li>•Charging time for the battery inside using the solar panel: 10 - 15 hours</li> <li>•Charging time for the battery inside via USB charging cable: 3- 5 hours</li> <li>•Accessories:5pcs connectors,1pcs USB cable,1pcs adapter,1pcs input cable</li> <li>•Package:Gift box;Packing:40pcs/CTN</li> <li>•Product Size:110*70*12.5mm;N.W:100g</li> <li>•Carton Size:60*34.5*28cm;G.W:12Kg</li> </ul> |               |
| KS-C3033 | <ul style="list-style-type: none"> <li>Solar Panel:mono or multi-crystalline</li> <li>Solar Power: 5.5V/60mA</li> <li>Output voltage: 5V</li> <li>Output current: 800mA</li> <li>Build in Li-ion Battery:2000mAh</li> <li>Protection: reverse current protection circuit intergerated to prevent batteries from being discharged.</li> <li>Charging time for the mobile phone: 90 minutes around</li> <li>Charging time for the battery inside using the solar panel: 5 hours</li> <li>Multi-function power display button</li> <li>Using for all Iphones and Ipods.</li> <li>Blister package</li> </ul>   |               |
| KS-C3035 | <ul style="list-style-type: none"> <li>Aluminum body</li> <li>Solar Panel:mono or multi-crystalline</li> <li>Solar Power: 5.5V/115mA</li> <li>Output voltage: 4.2/5.5/8.4V</li> <li>Output current: 400-600mA</li> <li>Build in Li-ion Battery:1500mAh</li> <li>Protection: reverse current protection circuit intergerated to prevent batteries from being discharged.</li> <li>Charging time for the mobile phone: 2 hours around</li> <li>Charging time for the battery inside using the solar panel: 15 - 18 hours</li> <li>Charging time for the battery inside via USB charging cable: 5- 6 hours</li> <li>Accessories:5pcs connectors,1pcs USB cable,1pcs input cable</li> </ul>  |               |
| KS-C3030 | <ul style="list-style-type: none"> <li>•Solar Panel:mono or multi-crystalline</li> <li>•Solar Power: 5.5V/90mA</li> <li>•Output voltage: 5V</li> <li>•Output current: 300-500mA</li> <li>•Build in Li-ion Battery:1250mAh</li> <li>•Protection: reverse current protection circuit intergerated to prevent batteries from being discharged.</li> <li>•Charging time for the mobile phone: 90 minutes</li> <li>•Charging time for the battery inside using the solar panel: 13 - 18 hours</li> <li>•Charging time for the battery inside via USB charging cable: 4- 5 hours</li> <li>•Accessories:FOMA AU connectors,1pcs USB cable,1pcs output cable</li> <li>•Package:Gift box</li> <li>•Blister package</li> </ul>   |               |

Office Address:  
 NO.601,ZhongKang Pioneer Park,ZhongKang Road,  
 Futian District, ShenZhen City,Guangdong Province,China  
 Factory Address:  
 Longxi Hi-tech Industrial Park, Longcheng Road, Longgang  
 Town, ShenZhen City,Guangdong Province,China



Tel: +86.755.8351 5659  
 Fax: +86.755.8271 6024  
 Website: <http://www.solars-china.com>  
 Email:market@solars-china.com  
 MSN:market@solars-china.com  
 Skype: KAXIDY

# CHINA SOLAR LTD

<http://www.solars-china.com>

TEL: +86-755-83515659 FAX: +86-755-82716024 Email: market@solars-china.com

Contact Person :Emily Zhou MSN: market@solars-china.com Skype: kaxidy

## SOLAR CHARGER

| Item No  | Product Specification   | Product Image   |
|----------|---|---|
| KS-C3038 | <p>Solar Panel (amorphous silicon or mono-crystalline): 0.4W<br/>                     Output volt/current: 5.5V 450mA<br/>                     Battery capacity: 1500mah<br/>                     Build in LED light: 4pcs high light LEDs<br/>                     Charging time for the mobile phone: 2-3 hours<br/>                     Charging time for the battery inside using the solar panel: 12 - 14 hours<br/>                     Charging time for the battery inside via USB charging cable: 4- 5 hours<br/>                     Constant Volts: 4.2V</p> <p>Accessories: 5pcs connectors, 1pcs USB cable, 1pcs input cable<br/>                     Package: Gift box, 60pcs/CTN<br/>                     Product Size: 110*45*26mm, N.W: 170g<br/>                     Carton Size: 52.4*43.5*24.4CM, N.W: 16Kg</p>   |    |
| KS-C3022 | <ul style="list-style-type: none"> <li>•Solar Panel (mono or multi-crystalline): 5.5v/280mA</li> <li>•Output current: 400mA -1.2A (max)</li> <li>•Battery capacity: 2800mah</li> <li>•Indication: charging and discharging state</li> <li>•Output voltage switch: 4.5V/5V/6.3V/9V</li> <li>•Charging time for the mobile phone: 2-3 hours</li> <li>•Charging time for the Lithium polymer battery inside using the solar panel: 12 - 14 hours</li> <li>•Charging time for the Lithium polymer battery inside using USB charging cable: 3-4 hours</li> <li>•Constant Volts: 4.2 V</li> <li>•Switch round and round. Seven-colored light flashes while charging</li> <li>•Accessories: 5pcs connectors, 1pcs USB cable, 1pcs adapter, 1pcs input cable</li> <li>•Package: Gift box, 30pcs/CTN</li> <li>•Product Size: 200*160*55mm, N.W: 180g</li> <li>•Carton Size: 60*34.5*28cm, N.W: 16Kg</li> </ul> |  |
| KS-C3029 | <ul style="list-style-type: none"> <li>•Solar Panel: mono or multi-crystalline</li> <li>•Solar Power: 5.5V/180mA</li> <li>•Output voltage: 5.5V; Output current: 400mA</li> <li>•Build in Li-ion Battery: 1800mAh</li> <li>•Indication: charging and discharging state</li> <li>•Protection: reverse current protection circuit integrated to prevent batteries from being discharged.</li> <li>•Charging time for the mobile phone: 2 -3hours around</li> <li>•Charging time for the battery inside using the solar panel: 6 - 8 hours</li> <li>•Charging time for the battery inside via USB charging cable: 3- 4 hours</li> <li>•Accessories: 5pcs connectors, 1pcs USB cable, 1pcs input cable, 1pcs adapter</li> <li>•Package: Gift box; Packing: 50pcs/CTN</li> <li>•Product Size: 19*14*5.5cm; N.W: 340g</li> <li>•Carton Size: 45*30*27cm; G.W: 18Kg</li> </ul>                               |  |

Office Address:  
 NO.601, ZhongKang Pioneer Park, ZhongKang Road,  
 Futian District, ShenZhen City, Guangdong Province, China

Factory Address:  
 Longxi Hi-tech Industrial Park, Longcheng Road, Longgang  
 Town, ShenZhen City, Guangdong Province, China



Tel: +86.755.8351 5659  
 Fax: +86.755.8271 6024  
 Website: <http://www.solars-china.com>  
 Email: market@solars-china.com  
 MSN: market@solars-china.com  
 Skype: KAXIDY

CHINA SOLAR LTD

CHINA SOLAR LTD

CHINA SOLAR LTD





# CHINA SOLAR LTD

<http://www.solars-china.com>

TEL: +86-755-83515659 FAX: +86-755-82716024 Email: market@solars-china.com

Contact Person :Emily Zhou MSN:market@solars-china.com Skype:kaxidy

## SOLAR CHARGER

| Item No  | Product Specification   | Product Image   |
|----------|---|---|
| KS-C3028 | <p>Solar Panel: mono or multi-crystalline<br/>                     Solar Power: 5.5V/300mA<br/>                     Output voltage: 5.5V<br/>                     Output current: 300-550mA<br/>                     Build in Li-ion Battery: 1000mAh<br/>                     Protection: reverse current protection circuit integrated to prevent batteries from being discharged.<br/>                     Charging time for the mobile phone: 2 hours around<br/>                     Charging time for the battery inside using the solar panel: 6 - 8 hours<br/>                     Charging time for the battery inside via USB charging cable: 3- 4 hours</p> <p>Accessories: 5pcs connectors, 1pcs USB cable, 1pcs input cable<br/>                     Package: Gift box, 40 PCS/ctn<br/>                     Carton Size: 57.8*37.9*34CM, N.W: 19Kg</p>                 |    |
| KS-C3032 | <p>Solar Panel: mono or multi-crystalline<br/>                     Solar Power: 5.5V/40mA<br/>                     Output voltage: 5V<br/>                     Output current: 300-500mA<br/>                     Build in Li-ion Battery: 480mAh<br/>                     Protection: reverse current protection circuit integrated to prevent batteries from being discharged.<br/>                     Charging time for the mobile phone: 90 minutes<br/>                     Charging time for the battery inside using the solar panel: 15 - 20 hours<br/>                     Charging time for the battery inside via USB charging cable: 4- 5 hours</p> <p>Accessories: 5pcs connectors, 1pcs USB cable, 1pcs adapter, 1pcs input cable<br/>                     Package Gift box ;Packing: 120pcs/CTN<br/>                     Carton Size: 43*31.2*18.5cm G.W: 5.3Kg</p> |   |
| KS-C3001 | <ul style="list-style-type: none"> <li>• Solar Panel: mono or multi-crystalline</li> <li>• Solar Power: 5.5V/60mA</li> <li>• Output voltage: 5V; Output current: 800mA</li> <li>• Build in Li-ion Battery: 2000mAh</li> <li>• Protection: reverse current protection circuit integrated to prevent batteries from being discharged.</li> <li>• Charging time for the mobile phone: 90 minutes around</li> <li>• Charging time for the battery inside using the solar panel: 5 hours</li> <li>• Multi-function power display button</li> <li>• Using for all iPhones and Ipods.</li> <li>• Package: Gift box; Package Size: 16*15*4cm; N.W: 260g</li> <li>• Packing 30pcs/CTN; Carton Size: 46*33*25.5cm, G.W: 9Kg.</li> </ul>   |  |
| KS-C3004 | <ul style="list-style-type: none"> <li>• Solar Panel (mono or multi-crystalline): 5.5V/70mA</li> <li>• Output volt/current: 5.5V 450mA</li> <li>• Battery capacity: 1350mAh</li> <li>• Indication: charging and discharging state</li> <li>• Protection: reverse current protection circuit integrated to prevent batteries from being discharged.</li> <li>• Charging time for the mobile phone: 2-3 hours</li> <li>• Charging time for the NI-MH battery inside using the solar panel: 12 - 14 hours</li> <li>• Charging time for the NI-MH battery inside via USB charging cable: 4- 5 hours</li> <li>• Constant Volts: 4.2 V</li> <li>• Accessories: 5pcs connectors, 1pcs USB cable, 1pcs adapter, 1pcs input cable</li> <li>• Package: Gift box; 50pcs/CTN</li> <li>• Product Size: 90*41*13mm; N.W: 40g</li> <li>• Carton Size: 60*34.5*28cm; G.W: 14Kg</li> </ul>           |  |

Office Address:  
 N0.601, ZhongKang Pioneer Park, ZhongKang Road,  
 Futian District, ShenZhen City, Guangdong Province, China  
 Factory Address:  
 Longxi Hi-tech Industrial Park, Longcheng Road, Longgang  
 Town, ShenZhen City, Guangdong Province, China



Tel: +86.755.8351 5659  
 Fax: +86.755.8271 6024  
 Website: <http://www.solars-china.com>  
 Email: market@solars-china.com  
 MSN: market@solars-china.com  
 Skype: KAXIDY

# CHINA SOLAR LTD

<http://www.solars-china.com>

TEL:+86-755-83515659 FAX:+86-755-82716024 Email:market@solars-china.com

Contact Person :Emily Zhou MSN:market@solars-china.com Skype:kaxidy

## SOLAR CHARGER

| Item No  | Product Specification   | Product Image   |
|----------|---|---|
| KS-C3005 | <ul style="list-style-type: none"> <li>•Solar Panel (mono or multi-crystalline): 5.5V/45mA</li> <li>•Output volt/current: 5.5V 400mA</li> <li>•Battery capacity:1000mah</li> <li>•Indication: charging and discharging state</li> <li>•Protection: reverse current protection circuit integrated to prevent batteries from being discharged.</li> <li>•Charging time for the mobile phone: 2-3 hours</li> <li>•Charging time for the battery inside using the solar panel: 12 - 14 hours</li> <li>•Charging time for the battery inside via USB charging cable: 4- 5 hours</li> <li>•Constant Volts:4.2V</li> <li>•Accessories:5pcs connectors,1pcs USB cable,1pcs adapter,1pcs input cable</li> <li>•Package Gift box ;Packing:100pcs/CTN</li> <li>•Product Size:70*40*12mm</li> <li>•Carton Size:38.5*32*25cm; G.W:23Kg</li> </ul>          |    |
| KS-C3011 | <ul style="list-style-type: none"> <li>•Solar Panel (mono or multi-crystalline): 5.5V/80mA</li> <li>•Output volt/current: 5.5V 450mA</li> <li>•Battery capacity:1350mah</li> <li>•Indication: charging and discharging state</li> <li>•Protection: reverse current protection circuit integrated to prevent batteries from being discharged.</li> <li>•Charging time for the mobile phone: 2-3 hours</li> <li>•Charging time for the NI-MH battery inside using the solar panel: 12 - 14 hours</li> <li>•Charging time for the NI-MH battery inside via USB charging cable: 4- 5 hours</li> <li>•Constant Volts:4.2V</li> <li>•Accessories:5pcs connectors,1pcs USB cable,1pcs adapter,1pcs input cable</li> <li>•Package:Gift box,50pcs/CTN</li> <li>•Product Size:94*42*13mm N.W:40g</li> <li>•Carton Size:60*34.5*28cm;G.W:14Kg</li> </ul> |  |
| KS-C3016 | <ul style="list-style-type: none"> <li>•Solar Panel:mono or multi-crystalline</li> <li>•Solar Power: 5.5V/120mA</li> <li>•Output voltage: 5.5V</li> <li>•Output current: 400mA</li> <li>•Build in Li-ion Battery:1000mAh</li> <li>•Product Size:95*54*18mm</li> <li>•Indication: charging and discharging state</li> <li>•Protection: reverse current protection circuit integrated to prevent batteries from being discharged.</li> <li>•Charging time for the mobile phone: 2-3 hours</li> <li>•Charging time for the battery inside using the solar panel: 12 - 14 hours</li> <li>•Charging time for the battery inside via USB charging cable: 3- 4 hours</li> <li>•Accessories:5pcs connectors,1pcs USB cable,1pcs adapter,1pcs input cable</li> <li>•Package:Gift box;</li> </ul>   |  |

Office Address:  
 NO.601,ZhongKang Pioneer Park,ZhongKang Road,  
 Futian District, ShenZhen City,Guangdong Province,China  
 Factory Address:  
 Longxi Hi-tech Industrial Park, Longcheng Road, Longgang  
 Town, ShenZhen City,Guangdong Province,China



Tel: +86.755.8351 5659  
 Fax: +86.755.8271 6024  
 Website: <http://www.solars-china.com>  
 Email:market@solars-china.com  
 MSN:market@solars-china.com  
 Skype: KAXIDY